

ABELMAN, FRAYNE & SCHWAB

Attorneys at Law

666 Third Ave., 10th Floor
New York, NY 10017-5621

Telephone: (212) 949 9022

Facsimile: (212) 949-9190

E-Mail: jscinamon@lawabel.com

FACSIMILE TRANSMISSION**DATE: April 22, 2009****FAX NO.: 1-571-273-0706****TO: Examiner Golam Shameem - Group 1626****COMPANY: U.S. Patent and Trademark Office****NUMBER OF PAGES
INCLUDING THIS COVER
PAGE:**

4

**IF YOU DO NOT RECEIVE ALL PAGES,
PLEASE TELEPHONE OR FAX IMMEDIATELY
ATTENTION: Jay S. Cinamon
PHONE: (212) 949-9022 Fax: (212) 949-9190****FROM: Jay S. Cinamon****COMMENTS:**

U.S. Serial No. 10/550,483 filed June 16, 2006

Dear Examiner Shameem:

Further to your telephone call of March 25, 2009, you related that the Publication Branch noted certain defects while trying to print the application. Enclosed herewith are Examples 9, 17 and 32 which appear in tabular form. The text is now legible and the formerly missing lines at the bottom of the Tables can now be seen.





I hope this is satisfactory.





If you have any questions, please call me at 212-885-9232.





Sincerely,

Jay S. Cinamon - Reg. No. 24,156

This transmission is privileged and confidential. If you have received this transmission in error, please notify us immediately by telephone, and return the original transmission to us at the above address:

6		1-(p-Tolyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.27 (d, 2H); 7.24 (d, 2H); 5.79 (m, 1H); 4.45 (d, 1H); 3.73 (d, 1H); 2.72 (ddd, 1H); 2.70 (m, 1H); 2.47 (dd, 1H); 2.38 (s, 3H); 2.08-1.98 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 230 (M ⁺); 174; 118. mp: 117-118 °C
7		1-(5-Fluoro-2-methylphenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.28 (m, 1H); 7.02 (ddd, 1H); 6.85 (dd, 1H); 5.64 (m br, 1H); 4.43 (d, 1H); 3.77 (d, 1H); 2.70 (dt, 1H); 2.53-2.31 (m, 2H); 2.18 (s, 3H); 1.90 (broad m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 248 (M ⁺); 97. mp: 147-148 °C
8		1-(3-Fluoro-2-methylphenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.23 (ddd, 1H); 7.07 (dd br, 1H); 6.92 (d, 1H); 5.83-5.41 (broad m, 1H); 4.46 (d, 1H); 3.78 (d, 1H); 2.69 (ddd, 1H); 2.48 (ddd, 1H); 2.45-2.29 (m, 1H); 2.14 (d, 3H); 1.89 (broad m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 248 (M ⁺); 136; 109. mp: 135-137 °C.
9		1-(2-Trifluoromethylphenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.81 (d, 1H); 7.66 (dd, 1H); 7.54 (broad dd, 1H); 7.27 (d, 1H); 5.64 (m, 1H); 4.42 (broad d, 1H); 3.72 (d, 1H); 2.63 (m, 1H); 2.48 (m, 1H); 2.28 (m, 1H); 2.03 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 284 (M ⁺); 228; 198; 172; 145.

14		1-(4-Chloro-phenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.42-7.32 (m, 4H); 5.80 (m, 1H); 4.46 (d, 1H); 3.73 (d, 1H); 2.79-2.60 (m, 2H); 2.45 (m, 1H); 2.09-1.93 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 250 (M ⁺); 194. mp: 159-160 °C.
15		1-(3-Hydroxy-phenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.16 (dd, 1H); 6.96 (dd, 1H); 6.76 (dd, 1H); 6.69 (dd, 1H); 5.74 (m, 1H); 4.38 (d, 1H); 3.67 (d, 1H); 2.74-2.55 (m, 2H); 2.38 (m, 1H); 2.07-1.90 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 232(M ⁺); 176. mp: 210-211 °C.
16		1-(3-Trifluoromethyl-phenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.68 (d, 1H); 7.66 (broad s, 1H); 7.56 (dd, 1H); 7.50 (d, 1H); 5.88 (m, 1H); 4.50 (d, 1H); 3.76 (d, 1H); 2.73 (m, 2H); 2.48 (m, 1H); 2.04 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 284 (M ⁺); 228; 172; 145. mp: 124-125 °C.
17		1-(4-Trifluoromethyl-phenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.68 (d, 2H); 7.57 (d, 2H); 5.88 (m, 1H); 4.50 (d, 1H); 3.75 (d, 1H); 2.82-2.67 (m, 2H); 2.48 (m, 1H); 2.12-1.96 (m, 1H). MS: EI TSQ 700; source 180 °C; 70 V; 200 uA; 284 (M ⁺); 228; 172; 145. mp: 124-125 °C.

29		7a-Methyl-1-phenyl-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.52-7.20 (m, 5H); 4.44 (d, 1H); 3.78 (d, 1H); 2.83-2.68 (m, 1H); 2.56-2.42 (m, 2H); 2.18-2.30 (m, 1H); 1.63 (s, 3H). MS: ZQ, ESI POS, spray 3.25 KV, source 30 V, probe 250°C: 230 (MH ⁺). mp: 154-155°C.
30		(S)-1-o-Tolyl-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.35-7.23 (m, 4H); 7.13-7.06 (m, 1H); 5.69 (m br, 1H); 4.45 (d, 1H); 3.78 (d, 1H); 2.68 (ddd, 1H); 2.48 (ddd, 1H); 2.40-2.29 (m, 1H); 2.24 (s, 3H); 1.93 (m br, 1H). MS: AQA, ESI Pos, 3.5KV, source 30V, probe 250°C: 230(M ⁺), 143, 118, 97. [α] _D = -51.39 (c= 0.4, MeOH).
31		(R)-1-o-Tolyl-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.35-7.23 (m, 4H); 7.13-7.06 (m, 1H); 5.69 (m br, 1H); 4.45 (d, 1H); 3.78 (d, 1H); 2.68 (ddd, 1H); 2.48 (ddd, 1H); 2.40-2.29 (m, 1H); 2.24 (s, 3H); 1.93 (m br, 1H). MS: AQA, ESI Pos, 3.5KV, source 30V, probe 250°C: 230(M ⁺), 143, 118, 97. [α] _D = +52.24 (c= 0.4, MeOH).
32		1-(4-Ethyl-phenyl)-tetrahydro-pyrrolo[1,2-a]imidazole-2,5-dione	¹ H-NMR (CDCl ₃) δ: 7.29 (d, 2H); 7.25 (d, 2H); 5.80 (m, 1H); 4.45 (d, 1H); 3.74 (d, 1H); 2.78-2.56 (m, 2H); 2.65 (q, 2H); 2.51-2.38 (m, 1H); 2.09-1.95 (m, 1H); 1.23 (t, 3H).